


Řemenice Polyuretan

Standardní program



D_a , D_b , $D_{\text{náboje}}$, F , L , d - všechny údaje v mm

T 2,5 (rozteč 2,5 mm) pro šířku řemene 6 mm , materiál: hliník

Kódové označení	Počet zubů	D_a	D_B	$D_{\text{náboje}}$	F	L	Předvrtání d	Hmotnost kg
16 T 2,5 / 12 - 1F	12	9,00	13,0	12	9	16	–	0,003
16 T 2,5 / 14 - 1F	14	10,60	15,0	14	9	16	–	0,004
16 T 2,5 / 15 - 1F	15	11,40	15,0	15	9	16	–	0,005
16 T 2,5 / 16 - 1F	16	12,20	16,0	16	9	16	–	0,005
16 T 2,5 / 18 - 2	18	13,80	17,5	10	10	16	4	0,006
16 T 2,5 / 19 - 2	19	14,60	18,0	10	10	16	4	0,007
16 T 2,5 / 20 - 2	20	15,40	19,5	11	10	16	4	0,008
16 T 2,5 / 22 - 2	22	17,00	23,0	11	10	16	4	0,009
16 T 2,5 / 24 - 2	24	18,55	23,0	12	10	16	4	0,012
16 T 2,5 / 25 - 2	25	19,35	23,0	13	10	16	4	0,013
16 T 2,5 / 26 - 2	26	20,15	25,0	14	10	16	4	0,014
16 T 2,5 / 28 - 2	28	21,75	25,0	14	10	16	4	0,016
16 T 2,5 / 30 - 2	30	23,35	28,0	16	10	16	6	0,018
16 T 2,5 / 32 - 2	32	24,95	32,0	16	10	16	6	0,020
16 T 2,5 / 36 - 2	36	28,10	36,0	20	10	16	6	0,026
16 T 2,5 / 40 - 2	40	31,30	38,0	22	10	16	6	0,032
16 T 2,5 / 44 - 2	44	34,50	42,0	24	10	16	6	0,040
16 T 2,5 / 48 - 0	48	37,70	–	26	10	16	6	0,048
16 T 2,5 / 60 - 0	60	47,25	–	34	10	16	8	0,073

T 5 (rozteč 5 mm) pro šířku řemene 10 mm , materiál: hliník

Kódové označení	Počet zubů	D _a	D _B	D _{Náboje}	F	L	Předvrtání d	Hmotnost kg
21 T 5 10 - 2	10	15,05	19,5	8	15	21	-	0,012
21 T 5 12 - 2	12	18,25	23,0	11	15	21	-	0,016
21 T 5 14 - 2	14	21,45	25,0	14	15	21	-	0,019
21 T 5 15 - 2	15	23,05	28,0	16	15	21	6	0,021
21 T 5 16 - 2	16	24,60	32,0	18	15	21	6	0,025
21 T 5 18 - 2	18	27,80	32,0	20	15	21	6	0,031
21 T 5 19 - 2	19	29,40	36,0	22	15	21	6	0,036
21 T 5 20 - 2	20	31,00	36,0	23	15	21	6	0,038
21 T 5 22 - 2	22	34,25	38,0	24	15	21	6	0,046
21 T 5 24 - 2	24	37,40	42,0	26	15	21	6	0,054
21 T 5 25 - 2	25	39,00	44,0	26	15	21	6	0,058
21 T 5 26 - 2	26	40,60	44,0	26	15	21	6	0,062
21 T 5 27 - 2	27	42,20	48,0	30	15	21	8	0,064
21 T 5 28 - 2	28	43,75	48,0	32	15	21	8	0,071
21 T 5 30 - 2	30	46,95	51,0	34	15	21	8	0,075
21 T 5 32 - 2	32	50,10	54,0	38	15	21	8	0,088
21 T 5 36 - 2	36	56,45	63,0	38	15	21	8	0,114
21 T 5 40 - 2	40	62,85	66,0	40	15	21	8	0,138
21 T 5 42 - 2	42	66,00	71,0	40	15	21	8	0,180
21 T 5 44 - 0	44	69,20	-	45	15	21	8	0,185
21 T 5 48 - 0	48	75,55	-	50	15	21	8	0,200
21 T 5 60 - 0	60	94,65	-	65	15	21	8	0,307

T 5 (rozteč 5 mm) pro šířku řemene 16 mm , materiál: hliník

Kódové označení	Počet zubů	D _a	D _B	D _{Náboje}	F	L	Předvrtání d	Hmotnost kg
27 T 5 10 - 2	10	15,05	19,5	8	21	27	-	0,016
27 T 5 12 - 2	12	18,25	23,0	11	21	27	-	0,022
27 T 5 14 - 2	14	21,45	25,0	14	21	27	-	0,026
27 T 5 15 - 2	15	23,05	28,0	16	21	27	6	0,029
27 T 5 16 - 2	16	24,60	32,0	18	21	27	6	0,035
27 T 5 18 - 2	18	27,80	32,0	20	21	27	6	0,043
27 T 5 19 - 2	19	29,40	36,0	22	21	27	6	0,049
27 T 5 20 - 2	20	31,00	36,0	23	21	27	6	0,053
27 T 5 22 - 2	22	34,25	38,0	24	21	27	6	0,054
27 T 5 24 - 2	24	37,40	42,0	26	21	27	6	0,076
27 T 5 25 - 2	25	39,00	44,0	26	21	27	6	0,081
27 T 5 26 - 2	26	40,60	44,0	28	21	27	6	0,085
27 T 5 27 - 2	27	42,20	48,0	30	21	27	8	0,090
27 T 5 28 - 2	28	43,75	48,0	34	21	27	8	0,092
27 T 5 30 - 2	30	46,95	51,0	34	21	27	8	0,105
27 T 5 32 - 2	32	50,10	54,0	38	21	27	8	0,123
27 T 5 36 - 2	36	56,45	63,0	38	21	27	8	0,160
27 T 5 40 - 2	40	62,85	66,0	40	21	27	8	0,193
27 T 5 42 - 2	42	66,00	71,0	40	21	27	8	0,205
27 T 5 44 - 0	44	69,20	-	45	21	27	8	0,228
27 T 5 48 - 0	48	75,55	-	50	21	27	8	0,280
27 T 5 60 - 0	60	94,65	-	65	21	27	8	0,430

T 5 (rozteč 5 mm) pro šířku řemene 25 mm, materiál: hliník

Kódové označení	Počet zubů	D _a	D _B	D _{Náboje}	F	L	Předvrtání d	Hmotnost kg
36 T 5 10 - 2	10	15,05	19,5	8	30	36	-	0,023
36 T 5 12 - 2	12	18,25	23,0	11	30	36	-	0,031
36 T 5 14 - 2	14	21,45	25,0	14	30	36	-	0,037
36 T 5 15 - 2	15	23,05	28,0	16	30	36	6	0,041
36 T 5 16 - 2	16	24,60	32,0	18	30	36	6	0,050
36 T 5 18 - 2	18	27,80	32,0	20	30	36	6	0,061
36 T 5 19 - 2	19	29,40	36,0	22	30	36	6	0,070
36 T 5 20 - 2	20	31,00	36,0	23	30	36	6	0,076
36 T 5 22 - 2	22	34,25	38,0	24	30	36	8	0,080
36 T 5 24 - 2	24	37,40	42,0	26	30	36	8	0,109
36 T 5 25 - 2	25	39,00	44,0	26	30	36	8	0,116
36 T 5 26 - 2	26	40,60	44,0	26	30	36	8	0,120
36 T 5 27 - 2	27	42,20	48,0	30	30	36	8	0,128
36 T 5 28 - 2	28	43,75	48,0	32	30	36	8	0,132
36 T 5 30 - 2	30	46,95	51,0	34	30	36	8	0,150
36 T 5 32 - 2	32	50,10	54,0	38	30	36	8	0,176
36 T 5 36 - 2	36	56,45	63,0	38	30	36	8	0,230
36 T 5 40 - 2	40	62,85	66,0	40	30	36	8	0,276
36 T 5 42 - 2	42	66,00	71,0	40	30	36	8	0,284
36 T 5 44 - 0	44	69,20	-	45	30	36	8	0,315
36 T 5 48 - 0	48	75,55	-	50	30	36	8	0,400
36 T 5 60 - 0	60	94,65	-	65	30	36	8	0,614

T 10 (rozteč 10 mm) pro šířku řemene 16 mm, materiál: hliník

Kódové označení	Počet zubů	D _a	D _B	D _{Náboje}	F	L	Předvrtání d	Hmotnost kg
31 T 10 12 - 2	12	36,35	42	28	21	31	6	0,076
31 T 10 14 - 2	14	42,70	48	32	21	31	8	0,104
31 T 10 15 - 2	15	45,90	51	32	21	31	8	0,116
31 T 10 16 - 2	16	49,05	54	35	21	31	8	0,134
31 T 10 18 - 2	18	55,45	60	40	21	31	8	0,167
31 T 10 19 - 2	19	58,60	66	44	21	31	8	0,184
31 T 10 20 - 2	20	61,80	66	46	21	31	8	0,208
31 T 10 22 - 2	22	68,15	75	52	21	31	8	0,253
31 T 10 24 - 2	24	74,55	83	58	21	31	8	0,288
31 T 10 25 - 2	25	77,70	83	60	21	31	8	0,310
31 T 10 26 - 2	26	80,90	87	60	21	31	8	0,357
31 T 10 27 - 2	27	84,10	91	60	21	31	8	0,364
31 T 10 28 - 2	28	87,25	93	60	21	31	8	0,401
31 T 10 30 - 2	30	93,65	97	60	21	31	8	0,441
31 T 10 32 - 2	32	100,00	106	65	21	31	10	0,493
31 T 10 36 - 2	36	112,75	119	70	21	31	10	0,623
31 T 10 40 - 2	40	125,45	131	80	21	81	10	0,767
31 T 10 44 - 0	44	138,20	-	88	21	31	16	0,993
31 T 10 48 - 0	48	150,95	-	95	21	31	16	1,090
31 T 10 60 - 0	60	189,10	-	110	21	31	16	1,701

T 10 (rozteč 10 mm) pro šířku řemene 25 mm, materiál: hliník

Kódové označení	Počet zubů	D _a	D _B	D _{Náboje}	F	L	Předvrtání d	Hmotnost kg
40 T 10 12 - 2	12	36,35	42	28	30	40	6	0,099
40 T 10 14 - 2	14	42,70	48	32	30	40	8	0,134
40 T 10 15 - 2	15	45,90	51	32	30	40	8	0,152
40 T 10 16 - 2	16	49,05	54	35	30	40	8	0,176
40 T 10 18 - 2	18	55,45	60	40	30	40	8	0,224
40 T 10 19 - 2	19	58,60	66	44	30	40	8	0,247
40 T 10 20 - 2	20	61,80	66	46	30	40	8	0,276
40 T 10 22 - 2	22	68,15	75	52	30	40	8	0,337
40 T 10 24 - 2	24	74,55	83	58	30	40	8	0,392
40 T 10 25 - 2	25	77,70	83	60	30	40	8	0,422
40 T 10 26 - 2	26	80,90	87	60	30	40	8	0,477
40 T 10 27 - 2	27	84,10	91	60	30	40	8	0,536
40 T 10 28 - 2	28	87,25	93	60	30	40	8	0,540
40 T 10 30 - 2	30	93,65	97	60	30	40	8	0,640
40 T 10 32 - 2	32	100,00	106	65	30	40	10	0,693
40 T 10 36 - 2	36	112,75	119	70	30	40	10	0,873
40 T 10 40 - 2	40	125,45	131	80	30	40	10	1,067
40 T 10 44 - 0	44	138,20	-	88	30	40	16	1,350
40 T 10 48 - 0	48	150,95	-	95	30	40	16	1,516
40 T 10 60 - 0	60	189,10	-	110	30	40	16	2,339

T 10 (rozteč 10 mm) pro šířku řemene 32 mm, materiál: hliník

Kódové označení	Počet zubů	D _a	D _B	D _{Náboje}	F	L	Předvrtání d	Hmotnost kg
47 T 10 18 - 2	18	55,45	60	40	37	47	10	0,253
47 T 10 19 - 2	19	58,60	66	44	37	47	10	0,286
47 T 10 20 - 2	20	61,80	66	46	37	47	12	0,322
47 T 10 22 - 2	22	68,15	75	52	37	47	12	0,393
47 T 10 24 - 2	24	74,55	83	58	37	47	12	0,475
47 T 10 25 - 2	25	77,70	83	60	37	47	12	0,527
47 T 10 26 - 2	26	80,90	87	60	37	47	12	0,564
47 T 10 27 - 2	27	84,10	91	60	37	47	12	0,602
47 T 10 28 - 2	28	87,25	93	60	37	47	12	0,642
47 T 10 30 - 2	30	93,65	97	60	37	47	12	0,740
47 T 10 32 - 2	32	100,00	106	65	37	47	12	0,844
47 T 10 36 - 2	36	112,75	119	70	37	47	16	1,083
47 T 10 40 - 2	40	125,45	131	80	37	47	16	1,317
47 T 10 44 - 0	44	138,20	-	88	37	47	16	1,611
47 T 10 48 - 0	48	150,95	-	95	37	47	16	1,931
47 T 10 60 - 0	60	189,10	-	110	37	47	16	3,004

T 10 (rozteč 10 mm) pro šířku řemene 50 mm, materiál: hliník

Kódové označení	Počet zubů	D _a	D _B	D _{Náboje}	F	L	Předvrtání d	Hmotnost kg
66 T 10 18 - 2	18	55,45	60	40	56	66	10	0,422
66 T 10 19 - 2	19	58,60	66	44	56	66	10	0,466
66 T 10 20 - 2	20	61,80	66	46	56	66	12	0,520
66 T 10 22 - 2	22	68,15	75	52	56	66	12	0,570
66 T 10 24 - 2	24	74,55	83	58	56	66	12	0,736
66 T 10 25 - 2	25	77,70	83	60	56	66	12	0,766
66 T 10 26 - 2	26	80,90	87	60	56	66	12	0,816
66 T 10 27 - 2	27	84,10	91	60	56	66	12	0,946
66 T 10 28 - 2	28	87,25	93	60	56	66	12	0,960
66 T 10 30 - 2	30	93,65	97	60	56	66	12	1,169
66 T 10 32 - 2	32	100,00	106	65	56	66	12	1,300
66 T 10 36 - 2	36	112,75	119	70	56	66	16	1,637
66 T 10 40 - 2	40	125,45	131	80	56	66	16	1,999
66 T 10 44 - 0	44	138,20	-	88	56	66	16	2,357
66 T 10 48 - 0	48	150,95	-	95	56	66	16	2,830
66 T 10 60 - 0	60	189,10	-	110	56	66	16	4,366

Standardní program ozubených řemenic AT5, AT10

AT 5

Šířka řemene 10 mm	Šířka řemene 16 mm	Šířka řemene 25 mm
21 AT 5/12 - 2	27 AT 5/12 - 2	36 AT 5/12 - 2
21 AT 5/14 - 2	27 AT 5/14 - 2	36 AT 5/14 - 2
21 AT 5/15 - 2	27 AT 5/15 - 2	36 AT 5/15 - 2
21 AT 5/16 - 2	27 AT 5/16 - 2	36 AT 5/16 - 2
21 AT 5/18 - 2	27 AT 5/18 - 2	36 AT 5/18 - 2
21 AT 5/19 - 2	27 AT 5/19 - 2	36 AT 5/19 - 2
21 AT 5/20 - 2	27 AT 5/20 - 2	36 AT 5/20 - 2
21 AT 5/22 - 2	27 AT 5/22 - 2	36 AT 5/22 - 2
21 AT 5/24 - 2	27 AT 5/24 - 2	36 AT 5/24 - 2
21 AT 5/25 - 2	27 AT 5/25 - 2	36 AT 5/25 - 2
21 AT 5/26 - 2	27 AT 5/26 - 2	36 AT 5/26 - 2
21 AT 5/27 - 2	27 AT 5/27 - 2	36 AT 5/27 - 2
21 AT 5/28 - 2	27 AT 5/28 - 2	36 AT 5/28 - 2
21 AT 5/30 - 2	27 AT 5/30 - 2	36 AT 5/30 - 2
21 AT 5/32 - 2	27 AT 5/32 - 2	36 AT 5/32 - 2
21 AT 5/36 - 2	27 AT 5/36 - 2	36 AT 5/36 - 2
21 AT 5/40 - 2	27 AT 5/40 - 2	36 AT 5/40 - 2
21 AT 5/42 - 2	27 AT 5/42 - 2	36 AT 5/42 - 2
21 AT 5/44 - 0	27 AT 5/44 - 0	36 AT 5/44 - 0
21 AT 5/48 - 0	27 AT 5/48 - 0	36 AT 5/48 - 0
21 AT 5/60 - 0	27 AT 5/60 - 0	36 AT 5/60 - 0

Rozměry řemenic vyhledejte prosím v seznamech standardních řemenic T5.

! Vnější průměr standardních řemenic AT5 je o 0,4 mm menší než průměr standardních řemenic T5 !

AT 10

Šířka řemene 16 mm	Šířka řemene 25 mm	Šířka řemene 32 mm	Šířka řemene 50 mm
31 AT 10/15 - 2	40 AT 10/15 - 2	47 AT 10/18 - 2	66 AT 10/18 - 2
31 AT 10/16 - 2	40 AT 10/16 - 2	47 AT 10/19 - 2	66 AT 10/19 - 2
31 AT 10/18 - 2	40 AT 10/18 - 2	47 AT 10/20 - 2	66 AT 10/20 - 2
31 AT 10/19 - 2	40 AT 10/19 - 2	47 AT 10/22 - 2	66 AT 10/22 - 2
31 AT 10/20 - 2	40 AT 10/20 - 2	47 AT 10/24 - 2	66 AT 10/24 - 2
31 AT 10/22 - 2	40 AT 10/22 - 2	47 AT 10/25 - 2	66 AT 10/25 - 2
31 AT 10/24 - 2	40 AT 10/24 - 2	47 AT 10/26 - 2	66 AT 10/26 - 2
31 AT 10/25 - 2	40 AT 10/25 - 2	47 AT 10/27 - 2	66 AT 10/27 - 2
31 AT 10/26 - 2	40 AT 10/26 - 2	47 AT 10/28 - 2	66 AT 10/28 - 2
31 AT 10/27 - 2	40 AT 10/27 - 2	47 AT 10/30 - 2	66 AT 10/30 - 2
31 AT 10/28 - 2	40 AT 10/28 - 2	47 AT 10/32 - 2	66 AT 10/32 - 2
31 AT 10/30 - 2	40 AT 10/30 - 2	47 AT 10/36 - 2	66 AT 10/36 - 2
31 AT 10/32 - 2	40 AT 10/32 - 2	47 AT 10/40 - 2	66 AT 10/40 - 2
31 AT 10/36 - 2	40 AT 10/36 - 2	47 AT 10/44 - 0	66 AT 10/44 - 0
31 AT 10/40 - 2	40 AT 10/40 - 2	47 AT 10/48 - 0	66 AT 10/48 - 0
31 AT 10/44 - 0	40 AT 10/44 - 0	47 AT 10/60 - 0	66 AT 10/60 - 0
31 AT 10/48 - 0	40 AT 10/48 - 0		
31 AT 10/60 - 0	40 AT 10/60 - 0		

Rozměry řemenic vyhledejte prosím v seznamech **standardních řemenic T10**.