


# Řemenice - HTD 14M

## Standardní program P



Počet zubů - označení	Hlavový průměr ozubení	Vnější průměr čel	Prove- dení	H	W	L	Předvrtání dv	Max. konečný otvor d	Hmotnost kg
--------------------------	------------------------------	----------------------	----------------	---	---	---	------------------	----------------------------	----------------

HTD 14M-40 pro řemeny šířky 40 mm. Materiál: litina.

<b>P28-14M-40</b>	122,12	127	6F	100	54	69	24	60	4,73
<b>P29-14M-40</b>	126,57	138	6F	100	54	69	24	60	5,09
<b>P30-14M-40</b>	130,99	138	6F	100	54	69	24	60	5,45
<b>P32-14M-40</b>	139,88	154	6F	100	54	69	24	60	6,17
<b>P34-14M-40</b>	148,79	160	6F	100	54	69	24	60	6,88
<b>P36-14M-40</b>	157,68	168	6F	100	54	69	24	60	7,60
<b>P38-14M-40</b>	166,60	183	6F	120	54	69	24	70	8,28
<b>P40-14M-40</b>	175,49	188	6F	120	54	69	24	70	9,26
<b>P44-14M-40</b>	193,28	211	6F	120	54	69	24	70	10,32
<b>P48-14M-40</b>	211,11	226	6WF	135	54	69	24	75	11,50
<b>P56-14M-40</b>	246,76	256	6WF	135	54	69	28	75	13,05
<b>P64-14M-40</b>	282,41	296	6WF	135	54	69	28	75	14,40
<b>P72-14M-40</b>	318,06		6A	135	54	69	28	75	16,90
<b>P80-14M-40</b>	353,71		6A	135	54	69	28	75	18,50
<b>P90-14M-40</b>	398,28		6A	135	54	69	28	75	20,00
<b>P112-14M-40</b>	496,32		6A	135	54	69	28	75	26,70
<b>P144-14M-40</b>	638,92		6A	135	54	69	28	75	35,00
<b>P168-14M-40</b>	745,87		6A	135	54	69	28	75	44,20
<b>P192-14M-40</b>	852,82		6A	135	54	69	28	75	52,20
<b>P216-14M-40</b>	959,76		6A	150	54	69	28	85	60,00

HTD 14M-55 pro řemeny šířky 55 mm. Materiál: litina.

<b>P28-14M-55</b>	122,12	127	6F	100	70	85	24	60	5,60
<b>P29-14M-55</b>	126,57	138	6F	100	70	85	24	60	6,10
<b>P30-14M-55</b>	130,99	138	6F	100	70	85	24	60	6,60
<b>P32-14M-55</b>	139,88	154	6F	100	70	85	24	60	7,60
<b>P34-14M-55</b>	148,79	160	6F	100	70	85	24	60	8,60
<b>P36-14M-55</b>	157,68	168	6F	100	70	85	24	60	9,60
<b>P38-14M-55</b>	166,60	183	6F	120	70	85	24	70	10,80
<b>P40-14M-55</b>	175,49	188	6F	120	70	85	24	70	11,20
<b>P44-14M-55</b>	193,28	211	6F	120	70	85	24	70	12,50
<b>P48-14M-55</b>	211,11	226	10VF	135	70	70	24	75	13,70
<b>P56-14M-55</b>	246,76	256	10VF	135	70	70	28	75	14,50
<b>P64-14M-55</b>	282,41	296	10VF	135	70	70	28	75	15,60
<b>P72-14M-55</b>	318,06		10A	135	70	70	28	75	18,50
<b>P80-14M-55</b>	353,71		10A	135	70	70	28	75	20,00
<b>P90-14M-55</b>	398,28		10A	135	70	70	28	75	22,60
<b>P112-14M-55</b>	496,32		10A	135	70	70	28	75	29,50
<b>P144-14M-55</b>	638,92		10A	135	70	70	28	75	39,00
<b>P168-14M-55</b>	745,87		10A	135	70	70	28	75	48,50
<b>P192-14M-55</b>	852,82		10A	135	70	70	28	75	57,80
<b>P216-14M-55</b>	959,76		10A	150	70	70	28	85	67,00

HTD 14M-85 pro řemeny šířky 85 mm. Materiál: litina.

<b>P28-14M-85</b>	122,12	127	6F	100	102	117	24	60	7,70
<b>P29-14M-85</b>	126,57	138	6F	100	102	117	24	60	8,40
<b>P30-14M-85</b>	130,99	138	6F	100	102	117	24	60	9,10
<b>P32-14M-85</b>	139,88	154	6F	100	102	117	24	60	10,50
<b>P34-14M-85</b>	148,79	160	6F	100	102	117	24	60	11,90
<b>P36-14M-85</b>	157,68	168	6F	100	102	117	32	60	13,20
<b>P38-14M-85</b>	166,60	183	6F	120	102	117	32	70	15,15
<b>P40-14M-85</b>	175,49	188	6F	135	102	117	32	75	17,10
<b>P44-14M-85</b>	193,28	211	6F	135	102	117	32	75	23,30
<b>P48-14M-85</b>	211,11	226	6F	150	102	117	32	85	25,00
<b>P56-14M-85</b>	246,76	256	10VF	150	102	102	32	85	25,00
<b>P64-14M-85</b>	282,41	296	10VF	150	102	102	32	85	30,50
<b>P72-14M-85</b>	318,06		10A	150	102	102	32	85	28,80
<b>P80-14M-85</b>	353,71		10A	150	102	102	32	85	30,10
<b>P90-14M-85</b>	398,28		10A	150	102	102	32	85	33,00
<b>P112-14M-85</b>	496,32		10A	150	102	102	32	85	41,80
<b>P144-14M-85</b>	638,92		10A	150	102	102	32	85	52,40
<b>P168-14M-85</b>	745,87		10A	150	102	102	32	85	60,30
<b>P192-14M-85</b>	852,82		10A	165	102	102	32	95	70,20
<b>P216-14M-85</b>	959,76		10A	165	102	102	32	95	81,00

HTD 14M-115 pro řemeny šířky 115 mm. Materiál: litina.

<b>P28-14M-115</b>	122,12	127	6F	100	133	148	32	60	9,20
<b>P29-14M-115</b>	126,57	138	6F	100	133	148	32	60	10,20
<b>P30-14M-115</b>	130,99	138	6F	100	133	148	32	60	11,20
<b>P32-14M-115</b>	139,88	154	6F	100	133	148	32	60	13,20
<b>P34-14M-115</b>	148,79	160	6F	100	133	148	32	60	14,80
<b>P36-14M-115</b>	157,68	168	6F	120	133	148	32	70	16,60
<b>P38-14M-115</b>	166,60	183	6F	120	133	148	32	70	19,20
<b>P40-14M-115</b>	175,49	188	6F	135	133	148	32	75	20,56
<b>P44-14M-115</b>	193,28	211	6F	140	133	148	32	80	21,93
<b>P48-14M-115</b>	211,11	226	6F	150	133	148	32	80	25,00
<b>P56-14M-115</b>	246,76	256	6F	150	133	148	32	85	27,50
<b>P64-14M-115</b>	282,41	296	10WF	150	133	133	32	85	30,10
<b>P72-14M-115</b>	318,06		10A	150	133	133	32	85	32,83
<b>P80-14M-115</b>	353,71		10A	150	133	133	32	85	35,55
<b>P90-14M-115</b>	398,28		10A	150	133	133	32	85	41,00
<b>P112-14M-115</b>	496,32		10A	150	133	133	32	85	54,40
<b>P144-14M-115</b>	638,92		10A	165	133	133	32	95	67,80
<b>P168-14M-115</b>	745,87		10A	165	133	133	32	95	75,80
<b>P192-14M-115</b>	852,82		10A	165	133	133	32	95	88,30
<b>P216-14M-115</b>	959,76		10A	165	133	133	32	95	98,00

HTD 14M-170 pro řemeny šířky 170 mm . Materiál: litina.

<b>P28-14M-170</b>	122,12	127,0	6F	100	187	202	32	60	13,8
<b>P29-14M-170</b>	126,57	138,0	6F	100	187	202	32	60	14,2
<b>P30-14M-170</b>	130,99	138,0	6F	100	187	202	32	60	15,6
<b>P32-14M-170</b>	139,88	154,0	6F	100	187	202	32	60	18,1
<b>P34-14M-170</b>	148,79	160,0	6F	100	187	202	32	60	20,4
<b>P36-14M-170</b>	157,68	168,0	6F	120	187	202	32	70	23,5
<b>P38-14M-170</b>	166,60	183,0	6F	135	187	202	32	75	26,5
<b>P40-14M-170</b>	175,49	188,0	6F	140	187	202	32	80	30,1
<b>P44-14M-170</b>	193,28	211,0	6F	160	187	202	32	90	37,8
<b>P48-14M-170</b>	211,11	226,0	6F	160	187	202	32	90	44,5
<b>P56-14M-170</b>	246,76	256,0	6F	160	187	202	32	90	61,0
<b>P64-14M-170</b>	282,41	296,0	6F	180	187	202	32	100	81,0
<b>P72-14M-170</b>	318,06		10W	180	187	187	32	100	61,4
<b>P80-14M-170</b>	353,71		10W	180	187	187	32	100	65,0
<b>P90-14M-170</b>	398,28		10A	180	187	187	38	100	68,0
<b>P112-14M-170</b>	496,32		10A	200	187	187	38	110	87,5
<b>P144-14M-170</b>	638,92		10A	220	187	187	38	120	114,0
<b>P168-14M-170</b>	745,87		10A	220	187	187	38	120	125,0
<b>P192-14M-170</b>	852,82		10A	220	187	187	38	120	136,4
<b>P216-14M-170</b>	959,76		10A	220	187	187	38	120	147,0